



BRIGHTSTARTW

Safe and Performance



www.brightstar.com.tw

HID
HEADLIGHT BULB

BRIGHTSTARTW



TÜV



E-MARK & DOT HID XENON BULB

HID CERTIFICATE

HID PREMIUM



Specification

Model	Power	Operation Voltage	Color Temperature	Luminous Flux (Estimate)	Average Life	Burning Position	Pinch	Base	Cap
D1S	35W ± 3W	85V ± 17V	4200K 5000K 5000K+	3200LM	2500hr	Horizontal ± 10%	400°C	180°C	PK32d-2
D2S	35W ± 3W	85V ± 17V	4200K 5000K 5000K+	3200LM	2500hr	Horizontal ± 10%	400°C	180°C	P32d-2
D2R	35W ± 3W	85V ± 17V	4200K 5000K 5000K+	2800LM	2500hr	Horizontal ± 10%	400°C	180°C	P32d-3
D3S	35W ± 3W	42V ± 9V	4200K 5000K	2800LM	2500hr	Horizontal ± 10%	400°C	180°C	PK32d-5
D4S	35W ± 3W	42V ± 9V	4200K 5000K	2800LM	2500hr	Horizontal ± 10%	400°C	180°C	P32d-5

TWO GUARANTEE OF QUALITY

Real E-MARK (ECE R99) Certificate approval by TÜV Lab.

Most Authoritative & Credible European Lab "TÜV Rheinland" issued E-MARK certificate confirming compliance with ECE R99 Regulations of All Brightstar Emark HID XENON BULB



Stable Performance & Long Lasting Brightness Equals OSXXM

Professional Lumen Test by Integrating Sphere Photometers





O Brand D2S

BRIGHTSTARTW D2S

Light SpectroPhotoColorMeter Analysis Report

Light SpectroPhotoColorMeter Analysis Report



BRIGHTSTARTW

HID Lighting

35W HID CONVERSION KIT



SLIM KIT

**AC Output, Much brighter, Longer Lifespan
Perfect Protection Design, More Safer**



SLIM Canbus KIT

**Combining with Ultra-Slim, Igniter and Decoder
Work With Newest BMW F20 / F30 / F10**

HID Adapter

BS001



Mercedes320-H1
(metal)

BS002



Mercedes320-H1
(plastic)

BS003



BMW E46(white)-H7

BS004



BMW E46(black)-H7

More than 40 Model Adapter, Please Contact Us

HID Accessories

HID Xenon Bulb



COLOR Temperature



HID Ballast

SLIM Ballast



SLIM Canbus KIT



HID Warning Canceller



Hi-Low Beam 058G



Single Beam 058D