



BRIGHTSTARTW

Safe and Performance

**DARKBUSTER
E2**

E BIKE / E MOTO LIGHT

E-MARK HEADLIGHT HIGH & LOW BEAM DAYTIME RUNNING LIGHT



DARKBUSTER


E2

E-MARK APPROVED

R10

R113

Class C



Application **L1e-A/B, L2e, L3e-A1, L4e, L5e, L6e**

E-Bike / Micro E-Scooter / E-Cargo Bike / Moped / E-Motorbike / Motorcycle / E-Tricycle / Light Quadricycle



BRIGHTSTARTW
www.brightstartw.com

ODM/OEM Service (Made By Taiwan)




E Bike / E Moto

DARKBUSTER E2



**HIGH & LOW BEAM /
DAYTIME RUNNING LIGHT**
E-MARK UNECE R113 Class C
ECE R10 (EMC) / R113
IP68 Waterproof 1m Depth



E-MARK Approved

Low/High Beam: ECE R113+R10

Inside Chip

OSRAM Chip
Low:13W / High:14W
Daytime Running Light: 5W

Color Temperature

6000K±500K

Luminous Flux
(Raw Lumens)

Low:1250LM(330lx) / High:1550LM(420lx)
Daytime Running Light: 400LM

Input Voltage

12VDC / 12-120VDC (OPTIONAL)

Housing

Aluminum Alloy (CNC)

Operating Temperature

-20°C~+60°C

Applications

L1e-A/B / L2e / L3e(A1) / L4e / L5e / L6e



QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test
S14.6.9 Sealing Test / Salt Spraying Test(ASTM B117-73)

ODM/OEM Service (Made By Taiwan)