



BRIGHTSTARTW

Safe and Performance

**DARKBUSTER
E6**

E BIKE / E MOTO LIGHT

THE TOP SPOT HIGH LUX EBIKE / EMOTO LIGHT



DARKBUSTER

E6

UP TO 25km/h · UP TO 45km/h

UP TO 11KW/125CC




L1e ~ L6e Class C

THE ONLY ONE HEADLIGHT IN THE MARKET WHICH PASSED THE NEWEST E-MARK REGULATION

ECE R148 POSITION LIGHT & ECE R149

LOW BEAM
DRL
Daytime Running Light

HIGH BEAM
DRIVING BEAM



LOW BEAM / DAYTIME RUNNING LIGHT



HIGH BEAM / DRIVING BEAM

Ideal Waterproof Protection IP68 / 1M

Versatile & Rugged
Lighting Solution under
Harsh Conditions



BRIGHTSTARTW
www.brightstartw.com

ODM/OEM Service (Made By Taiwan)





BRIGHTSTARTW
www.brightstartw.com

E-MARK, BETTER SAFETY & QUALITY

E Bike / E Moto
DARKBUSTER

E6 UP TO 25km/h · UP TO 45km/h
UP TO 11KW/125CC



POSITION LIGHT

HIGH BEAM DRIVING BEAM & LOW BEAM DAYTIME RUNNING LIGHT

E-MARK Class C

EMC Position Light
R10 / R148 / R149

IP68 Waterproof 1m Depth



E-MARK Approved	Position Light: ECE R148 Low/High Beam: ECE R149+R10
Inside Chip	OSRAM Chip Low:13W / High:14W Taiwan Highlight Chip Position Light: 2W
Color Temperature	6000K±500K
Luminous Flux (Raw Lumens)	Low:1250LM(330lx) / High:1550LM(420lx) Position Light: 200LM
Input Voltage	12VDC / 12-120VDC (OPTIONAL)
Housing	Aluminum Alloy (CNC)
Operating Temperature	-20°C~+60°C
Applications	L1e-A/B / L2e / L3e(A1) / L4e / L5e / L6e

QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test
S14.6.9 Sealing Test / Salt Spraying Test(ASTM B117-73)

ODM/OEM Service (Made By Taiwan)