



BRIGHTSTARTW

Safe and Performance

**DARKBUSTER
E6**

E BIKE / E MOTO LIGHT

E-MARK HEADLIGHT HIGH & LOW BEAM POSITION LIGHT



DARKBUSTER

E6



E-MARK APPROVED
R10 R148 R149

Class C




POSITION LIGHT


&

LOW BEAM
DRL
Daytime Running Light

HIGH BEAM
DRIVING BEAM



PASSING BEAM (LOW) DAYTIME RUNNING LIGHT



DRIVING BEAM (HIGH)



Application **L1e-A/B, L2e, L3e-A1, L4e, L5e, L6e**

E-Bike / Micro E-Scooter / E-Cargo Bike / Moped / E-Motorbike / Motorcycle / E-Tricycle / Light Quadricycle



BRIGHTSTARTW
www.brightstartw.com

ODM/OEM Service (Made By Taiwan)



E Bike / E Moto
DARKBUSTER

E6




POSITION LIGHT

HIGH BEAM DRIVING BEAM & LOW BEAM DAYTIME RUNNING LIGHT

E-MARK Class C

EMC Position Light R10 / R148 / R149

IP68 Waterproof 1m Depth



E-MARK Approved	Position Light: ECE R148 Low/High Beam: ECE R149+R10
Inside Chip	OSRAM Chip Low:13W / High:14W Taiwan Highlight Chip Position Light: 2W
Color Temperature	6000K±500K
Luminous Flux (Raw Lumens)	Low:1250LM(330lx) / High:1550LM(420lx) Position Light: 200LM
Input Voltage	12VDC / 12-120VDC (OPTIONAL)
Housing	Aluminum Alloy (CNC)
Operating Temperature	-20°C~+60°C
Applications	L1e-A/B / L2e / L3e(A1) / L4e / L5e / L6e

QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test
S14.6.9 Sealing Test / Salt Spraying Test(ASTM B117-73)

ODM/OEM Service (Made By Taiwan)