



BRIGHTSTARTW

Safe and Performance

DARKBUSTER
E9 / E10

E-MARK HEADLIGHT HIGH & LOW BEAM



DARKBUSTER

E9



E-MARK APPROVED

R149

Class B



Weight Only
150
g

PASSING BEAM (LOW)



DRIVING BEAM (HIGH)



30m



60m



BRIGHTSTARTW
www.brightstartw.com

ODM/OEM Service (Made By Taiwan)



BRIGHTSTARTTW
www.brightstarttw.com

E-MARK, BETTER SAFETY & QUALITY

DARKBUSTER

E9



HIGH & LOW BEAM

E-MARK UNECE R149 Class B

Most Compact & Lightweight
Weight Only 150 g

IP68 Waterproof 1m Depth



62 mm

58 mm



44 mm

18 mm



E-MARK Approved

High & Low Beam: ECE R149

Inside Chip

OSRAM Chip
Passing Beam (Low): 7W
Driving Beam (High): 9W

Color Temperature

6000K±500K

Luminous Flux
(Raw Lumens)

Passing Beam (Low): 800 LM (200lx)
Driving Beam (High): 1000 LM (250lx)

Input Voltage

6VDC / 12VDC / 6-120VDC (OPTIONAL)

Housing

Aluminum Alloy

Operating Temperature

-20°C~+60°C

Applications

L1e-A/B

QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test

S14.6.9 Sealing Test / Salt Spraying Test(ASTM B117-73)

ODM/OEM Service (Made By Taiwan)

E-MARK HEADLIGHT HIGH & LOW BEAM POSITION LIGHT



DARKBUSTER

E10




E-MARK APPROVED

R149

Class B



PASSING BEAM (LOW)



DRIVING BEAM (HIGH)



BRIGHTSTARTW
www.brightstartw.com

ODM/OEM Service (Made By Taiwan)



BRIGHTSTARTTW
www.brightstartw.com

E-MARK, BETTER SAFETY & QUALITY

DARKBUSTER

E10



HIGH & LOW BEAM
E-MARK UNECE R149 Class B
Front Circle Position Light

IP68 Waterproof 1m Depth



E-MARK Approved

High & Low Beam: ECE R149

Inside Chip

OSRAM Chip
Passing Beam (Low): 7W
Driving Beam (High): 9W
Position Light: 1W

Color Temperature

6000K±500K

Luminous Flux
(Raw Lumens)

Passing Beam (Low): 800 LM (200lx)
Driving Beam (High): 1000 LM (250lx)

Input Voltage

6VDC / 12VDC / 6-120VDC (OPTIONAL)

Housing

Aluminum Alloy

Operating Temperature

-20°C~+60°C

Applications

L1e-A/B

QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test
S14.6.9 Sealing Test / Salt Spraying Test(ASTM B117-73)

ODM/OEM Service (Made By Taiwan)