



BRIGHTSTARTW

Safe and Performance

LED TAIL LIGHTS

E BIKE / E MOTO LIGHT

E-MARK TAIL LIGHT

Rear Position + Brake + License Plate Light



DARKBUSTER T2

EMC DESIGN




270° ULTRA-WIDE-ANGLE BEAM / ECE R50 APPROVED



**BRIGHTSTARTW
EXCLUSIVE**

LINEAR OPTICAL DESIGN

Center Beam



Standard Beam

Flood Beam

SUPER LOW

1w

Power Consumption

Highest Visibility Rear Light

REAL
270°

ULTRA-WIDE-ANGLE BEAM



EXCLUSIVE OPTICAL DESIGN

Be Seen Over

300

Meters



BRIGHTSTARTW
www.brightstartw.com

ODM/OEM Service (Made By Taiwan)



BRIGHTSTARTTW
www.brightstarttw.com

E-MARK, BETTER SAFETY & QUALITY

E Bike / E Moto

DARKBUSTER

T2 3 In 1 E-BIKE Tail Light



Exclusive E-MARK ECE R50

(Brake Light / Position Light / License Plate Light)

Excellent **EMC** Design

IP67 Waterproof

64.70 mm



26.20 mm

15.60 mm



E-MARK Approved

ECE R50

Position Light / Brake Light / License Plate Light

Inside Chip

OSRAM Chip

Color Temperature

Rear Light: Red
Brake Light: Red
License Plate Light: White

Input Voltage

12VDC / 6-120VDC (OPTIONAL)

Weatherproof

IP67

Housing

Aluminum Alloy (CNC)

Operating Temperature

-20°C ~ +60°C



50 mm

QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test

S14.6.9 Sealing Test / Salt Spraying Test (ASTM B117-73)

ODM/OEM Service (Made By Taiwan)



DARKBUSTER

T2E E-BIKE Tail Light (Brake Light / Position Light)



**Specialized Optical &
Circuit Protection Design**

Excellent EMC Design

IP67 Waterproof



Inside Chip

OSRAM Chip

Color Temperature

Rear Light: Red
Brake Light: Red

Input Voltage

12VDC / 6-120VDC (OPTIONAL)

Weatherproof

IP67

Housing

Plastic

Operating Temperature

-20°C ~ +60°C



QUALITY ASSURANCE Based on FMVSS / SAE Standards

S14.4.2.3 Heat Test / S14.5.1 Vibration Test / S14.6.6.3 Temperature Cycle Test
S14.6.9 Sealing Test / Salt Spraying Test (ASTM B117-73)

ODM/OEM Service (Made By Taiwan)